L Number	Hits	Search Text	DB	Time stamp
- Number	419	713/155.ccls.	USPAT;	2004/07/29 09:44
	113	715/155.0015.	US-PGPUB;	2001, 01, 25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	312	713/155.ccls. and @ad < "20010410"	USPAT;	2004/07/29 12:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	755351.ap.	USPAT;	2004/07/29 10:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	755351.ap. and (user\$ with request)	USPAT;	2004/07/29 10:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	/BEE251 and /waand	IBM_TDB	2004/07/29 11:18
-	1	, , , , , , , , , , , , , , , , , , ,	USPAT; US-PGPUB;	2004/07/29 11:18
		(request\$ with database)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	"digital certificate" and (search\$3 near5	USPAT;	2004/07/29 11:22
		((data or record\$) with (issu\$3 near4	US-PGPUB;	
		receipt\$)))	EPO; JPO;	
		Teccipe()///	DERWENT;	
			IBM TDB	
_	334	("digital signature" and ((data or record or	USPAT;	2004/07/29 15:35
	331	text) near3 search\$3)) and @ad < "20010410"	US-PGPUB;	, ,
		center means bearings, and the state of the	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	22		USPAT;	2004/07/29 14:39
		with ((data or text or record) near2 date))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7		USPAT;	2004/07/29 14:40
		with ((data or text or record) near2 date)))	US-PGPUB;	
		and @ad < "20010410"	EPO; JPO;	
			DERWENT;	
		///// #2	IBM_TDB	2004/07/29 14:45
	3	<pre>(((((issu\$3 or generat\$3) adj2 certificat\$3) with ((data or text or record) near2 date)))</pre>	USPAT; US-PGPUB;	2004/01/23 T4:42
		and @ad < "20010410") and search	EPO; JPO;	
		and wad < 20010410 / and Scatch	DERWENT;	
-	-		IBM TDB	
_	1	(((((issu\$3 or generat\$3) adj2 certificat\$3)	USPAT;	2004/07/29 15:23
	1	with ((data or text or record) near2 date)))	US-PGPUB;	
	1	and @ad < "20010410") and (search near4	EPO; JPO;	
		data)	DERWENT;	
			IBM_TDB	
_	144	(issu\$ adj receipt) adj3 (user\$1 or client\$	USPAT;	2004/07/29 15:40
		or customer\$)	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
			USPAT;	2004/07/29 15:40
		or customer\$)) and @ad < "20010410"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		///iggut add magaint) adda /waanti am	<pre>IBM_TDB USPAT;</pre>	2004/07/29 15:40
-	4	<pre>(((issu\$ adj receipt) adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410")</pre>	US-PGPUB;	2004/07/29 15:40
		and (search\$ adj3 (data or text or record))	EPO; JPO;	
		and (Beatens adjs (data of text of fecold))	DERWENT;	
			IBM TDB	
	L	1	1	1

-	0	(((issu\$ adj receipt) adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410")	USPAT; US-PGPUB;	2004/07/29 15:38
		<pre>and ((search\$ adj3 (data or text or record)) with receipt)</pre>	EPO; JPO; DERWENT; IBM TDB	
_	45	(issu\$ adj identification) adj3 (user\$1 or client\$ or customer\$)	USPAT; US-PGPUB; EPO; JPO;	2004/07/29 15:43
	24	((issu\$ adj identification) adj3 (user\$1 or	DERWENT; IBM_TDB USPAT;	2004/07/29 15:43
	24	client\$ or customer\$)) and @ad < "20010410"	US-PGPUB; EPO; JPO; DERWENT;	2004/07/23 13:13
-	2	(((issu\$ adj identification) adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410") and (search\$ adj3 (identification))	IBM_TDB USPAT; US-PGPUB;	2004/07/29 15:43
			EPO; JPO; DERWENT;	
-	111	((issu\$ or generat\$3) adj identification) adj3 (user\$1 or client\$ or customer\$)	IBM_TDB USPAT; US-PGPUB;	2004/07/29 15:46
			EPO; JPO; DERWENT; IBM_TDB	
-	65	<pre>(((issu\$ or generat\$3) adj identification) adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410"</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/07/29 15:47
-	3	((((issu\$ or generat\$3) adj identification) adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410") and (search\$ adj3 (identification))	DERWENT; IBM_TDB USPAT;	2004/07/29 15:47
			US-PGPUB; EPO; JPO; DERWENT;	
-	14	((issu\$ or generat\$3) adj "serial number") adj3 (user\$1 or client\$ or customer\$)	IBM_TDB USPAT; US-PGPUB;	2004/07/29 15:46
			EPO; JPO; DERWENT; IBM_TDB	
-	13	<pre>(((issu\$ or generat\$3) adj "serial number") adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410"</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/07/29 15:47
	0		DERWENT; IBM_TDB USPAT;	2004/07/29 16:07
		adj3 (user\$1 or client\$ or customer\$)) and @ad < "20010410") and (search\$ adj3 (identification))	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	0	(((issu\$3 or generat\$3) adj3 receipt) with (search\$ adj3 receipt))	USPAT; US-PGPUB; EPO; JPO;	2004/07/29 16:09
	1	(((issu\$3 or generat\$3) adj3 password) with	DERWENT; IBM_TDB USPAT;	2004/07/29 16:10
	1	(((listing of generality) adjo password) with (search\$ adj3 password))	US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 10:10
			IBM TDB	